

CITY OF VICTORIA, TEXAS

PURCHASING DIVISION

INVITATION TO BID

FOR

ANNUAL SUPPLY CONTRACT FOR POLICE UNIFORMS



BIDS WILL BE RECEIVED UNTIL 1:30P.M.
ON WEDNESDAY, APRIL 8, 2009
AT THE CITY OF VICTORIA PURCHASING OFFICE
1201 E. PINE STREET
VICTORIA, TEXAS 77901

AFTER 1:30P.M. ALL BIDS SHALL BE DELIVERED TO
700 MAIN CENTER, 702 N. MAIN STREET, SUITE 204

PUBLIC BID OPEN WILL BE AT 2:00P.M.
ON WEDNESDAY, APRIL 8, 2009
AT 700 MAIN CENTER, 702 N. MAIN STREET, SUITE 204
VICTORIA, TEXAS 77901

INVITATION TO BID

Bids, addressed to the City of Victoria Purchasing Department, will be received for:

AN ANNUAL SUPPLY CONTRACT FOR POLICE UNIFORMS

In accordance with the specifications and contract documents. Bids will be received at the office of the City Purchasing Department, 1201 E. Pine Street, Victoria, Texas 77901 until 1:30 P.M. on Wednesday, April 8, 2009. After 1:30p.m. all bids shall be delivered to 700 Main Center, 702 N. Main Street, Suite 204, Victoria, Texas 77901. Bids will be opened and publicly read aloud on **Wednesday, April 8, 2009 at 2:00 P.M.** Any bid received after 2:00 P.M. will be returned unopened. The envelope containing the bid shall be clearly marked Bid for “Annual Supply Contract for Police Uniforms”.

Specifications are available at the City of Victoria Purchasing Department, 1201 E. Pine Street, Victoria, Texas 77901 or www.victoriatx.org/purchasing/bidlist.asp

The City of Victoria reserves the right to reject any and/or all bids, to waive any and/or all formalities and to accept the one deemed most advantageous to the City of Victoria.

Lana Schultz
Purchasing Agent
City of Victoria

CITY OF VICTORIA, TEXAS

GENERAL TERMS AND CONDITIONS

1. PURCHASE CONTRACT

The successful bidder will be asked to enter into a contract with the City of Victoria for the annual supply contract to furnish Uniforms to the City of Victoria Police Department. The contract will include the specifications herein listed and any other pertinent information.

2. DESCRIPTION OF SUPPLIES

Any catalog or manufacturer's reference used in describing Police Uniforms is merely descriptive, and not restrictive, unless otherwise noted and is used only to indicate type and quality of material. Bidders shall state exactly what they intend to furnish; otherwise they shall be required to furnish the items as specified.

3. ANNUAL SUPPLY CONTRACTS

All quantities for Police Uniforms specified for these specifications are merely estimates and not actual order amounts. The actual quantities ordered may be more than or less than the quantities specified.

4. DISCOUNTS

Bids submitted will be considered as competitive and should reflect any and all discounts offered to the City of Victoria.

5. FIRM TIME OF BIDS

The Bidder shall state the length of time for which bid prices are firm. The City of Victoria requests a minimum of 90 days.

6. LEAD TIME

Lead time must be specified on the Bid Sheet as to the number of calendar days from receipt to release. Bids submitted on the basis of "as required" may be rejected as being non-responsive.

7. PAYMENT

Full payment will be made within 30 days of the delivery of each completed order.

8. SALES TAX

These items will be exempt from payment of State and Local Sales Tax. The City of Victoria will furnish Exemption Certificate to successful bidder in the amount of merchandise cost, if required.

9. TRANSPORTATION

All bids must include the cost of transportation, FOB Victoria, Texas.

10. FUNDING SOURCE

The purchases will be funded by the City of Victoria, Police Department. One Complete Bid document, which contains the Invitation to Bid, Bid Specifications and Bid forms must be returned in its entirety.

11. BID EVALUATION FACTORS

A. The City retains the authority to award a bid based on findings in accordance with Texas Local Government Code § 271.905. If the City awards a bid based on Section 271.905, the City may condition such award on the awarded bidder providing additional requested information from the bidder and indemnifying the City for all costs of litigation arising from the use of said statute.

B. Partial Awards. Bidders may furnish pricing for all or any portion of the bid invitation. Unless the bidder specifies otherwise in his bid, the City may award the contract for any item or group of items shown on the bid invitation. The City reserves the right to award a contract based on the "low total bid" for all items.

C. Reservations. The City expressly reserves the right to:

1. Waive as an informality minor deviations from specifications that do not impair overall functions;
2. Waive any defect, irregularity or informality in any bid or bidding procedure;
3. Reject or cancel any or all bids;
4. Reissue a bid invitation;
5. Extend the bid opening time and date;
6. Procure any item by other means;
7. Increase or decrease the quantity specified in the bid invitation, unless the bidder specifies otherwise;
8. Consider and accept an alternate bid as provided herein when most advantageous to the City.
9. Negotiate with any bidder after proposals have been made regarding price, warranty, or any other factor being considered in reference to this proposal.

12. INDEMNIFICATION

The successful bidder shall defend, indemnify and hold harmless the City of Victoria and its officers, agents, and employees from all suits, actions, or claims of any character, name and description including attorney's fees/expenses brought for any injuries to persons or damages to property in connection with this contract including any claims for damages accruing during the delivery of the item supplied hereunder. Any money due the successful bidder under this Contract as shall be considered necessary to the City of Victoria may be retained for the use of the City to secure this indemnity. The successful bidder expressly agrees to defend, indemnify and hold harmless the City of Victoria and its officer, agents, and employees in accordance with this clause regardless of whether the injury or damage is caused in whole or in part by the acts of omissions, including negligence, of the City of Victoria, its officer, agents or employees.

CITY OF VICTORIA, TEXAS
PURCHASE SPECIFICATIONS
FOR
POLICE UNIFORMS - P-1

1. Supplier will furnish replacement uniforms as needed for approximately 108 currently employed Police Officers and 5 complete sets for any newly hired officers. Both male and female employees shall be measured and fitted by the supplier at the Victoria Police Department, 306 S. Bridge Street, Victoria, Texas 77901.
2. Pricing shall include uniforms, measuring, tailoring, altering and shipping F.O.B. Victoria. Uniforms will be shipped to the Victoria Police Department, 306 S. Bridge Street, Victoria, Texas 77901.
3. The Victoria Police Department will not maintain an inventory of uniforms. Uniforms will be ordered on an "as needed" basis over a 1 year period. The bid sheet reflects the approximate annual usage. Quantities listed on the bid sheet are estimated and not guaranteed.

NOTE: This contract shall be for a period of 1 year with option for renewal for an additional three -1 year periods if agreeable with both the successful bidder and the City of Victoria.

4. Uniforms are to be packaged per officer. The following information shall be attached to each package:
 - 4.1 Employee's name,
 - 4.2 Employee's Division,
 - 4.3 Listing of all items contained in package and
 - 4.4 Purchase order number.
5. The successful bidder on all garments shall assume:
 - 5.1 Full responsibility for material, workmanship and uniformity of products as well as correct fitting on each, and in event of error, bidder shall immediately replace any or all garments at no cost to the City of Victoria. Any uniform that is not a standard size shall be tailor made to fit the employee in Victoria, Texas.

Determination of error and/or unacceptability shall be the sole responsibility of the City of Victoria and such determination and/or judgment shall be final.
 - 5.2 Full responsibility for:
 - a. Complete and uniform shrinkage of material.
 - b. Uniformity of color.
 - c. Quality of material.
 - d. Tailoring, alterations and other specifications herein contained at no cost to the City of Victoria. Unless otherwise specifically provided in this bid, reference to any material, article or patented process, by trade name, make of catalogue number, shall be regarded as establishing a standard of quality, and shall not be construed as limiting competition, and bidders may, at their option, substitute any material, article or patented process, which in the judgment of the City of Victoria, is equal to the approved manufacturer.

6. Patrol Uniforms

- 6.1 Men's long sleeve shirt
- 6.2 Men's short sleeve shirt
- 6.3 Men's pants
- 6.4 Women's long sleeve shirt
- 6.5 Women's short sleeve shirt
- 6.6 Women's pants
- 6.7 Utility Pants
- 6.8 Duty Jacket
- 6.9 Raincoat
- 6.10 Uniform Hat

7. Telephone Response Unit (TRU) and Identification Technicians (ID) Uniforms
 - 7.1 Men's long sleeve shirt
 - 7.2 Men's short sleeve shirt
 - 7.3 Women's long sleeve shirt
 - 7.4 Women's short sleeve shirt
8. Bidder shall furnish and deliver an actual sample of all bid items proposed to the City of Victoria Purchasing Office, 1201 E. Pine Street, Victoria, Texas, 77901, prior to submission of bids. Failure to comply with requirements will result in the bid not being considered. Bidders must claim their samples of uniforms no later than 30 days after bid opening or samples will be disposed of.

Samples must be of acceptable quality and approved by City Representatives or the bid will not be considered.
9. No delivery or shipping charges will be paid on garments that have to be returned to supplier because of measurement error.
10. Among other factors, the bids shall be evaluated using the following factors:
 - 10.1 Quality and durability of uniforms proposed.
 - 10.2 Color conformity of pants and shirts.
 - 10.3 Delivery time stated by supplier – See Bid Quotation Sheet
 - 10.4 Price.
11. The prices quoted in the bid must remain firm for a period of 1 year. Quantities listed are estimated and actual quantities may be more or less than stated.
12. The City reserves the right to reject any or all bids or to accept any bid or combination of bids deemed advantageous to it. Bid prices shall be a per unit price with an extended total. Should a conflict arise between the unit price and the total, the unit price will govern.
13. NO PERSON has the authority to verbally alter specifications. The Purchasing Department shall make any changes to specifications in writing and send to each person having a bid package.
14. All orders shall be placed by a member of the City of Victoria Purchasing Office and be accompanied by a purchase order number.
15. If any further information is needed regarding specifications, contact Lana Schultz, Purchasing Agent at 361-485-3170.
16. In the event that the item supplied to the City of Victoria as part of the bid package is discontinued by the manufacturer the selected bidder will maintain pricing for the remainder of the length of the contract. In the event the substituted item is lower in cost, then the lower cost will become the contract price.
17. The contract can be terminated by either party with 90 days written notice.

GENERAL REQUIREMENTS FOR ALL UNIFORMS:

All garment details not specifically described herein, tailoring, styling, construction, materials, and components must match the standard reference sample.

Pre-bid samples required at the time of the bid opening.

Samples may be subjected to laboratory testing at the discretion of the contracting officer. Bidders are responsible for all testing costs of their sample garments.

Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style.

The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.

Garments will have a warranty covering (at minimum) defects in materials and workmanship for 1 year.

Garments must be manufactured to ISO 9001 quality assurance standard. (AG0306)

LONG SLEEVE SHIRT

1. COLOR: Dark Navy
2. SHELL FABRIC:
 - a. 9.75-10.25 oz. per linear yard plain weave 80% polyester / 20% rayon 12% filling stretch.
 - b. Machine washable and dry cleanable rayon blend provides user comfort, uniform appearance, durability, and easy care.
3. TRIM:
 - a. Lining: 100% Polyester Satin or 100% Polyester Taffeta
 - b. Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
 - c. Hook and loop: Woven Nylon base
 - d. Buttons: melamine, 20 ligne, matching shell fabric
4. DESIGN & CONSTRUCTION
 - a. Long sleeve uniform shirt
 - b. 5 military style creases stitched in
 - c. Top fused banded dress collar
 - d. Mitered pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
 - e. Collar stand and yoke lined with polyester taffeta or satin
 - f. 2 button adjustable cuffs
 - g. Epaulets
 - h. Badge eyelets with internal support strap
 - i. Extra long shirt tails
5. CUSTOMIZATION (OPTIONAL)
 - a. Emblems
 - b. Name Tab
 - c. Zipper Front
 - d. Metal Buttons on epaulets and pocket flaps
6. STANDARD SIZE RANGE
 - Men's:
 - a. Body Length Regular: Sleeve Length: 32 sizes 14.5-17
 - b. Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
 - c. Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
 - d. Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
 - e. Body Length Tall: Sleeve Length: 37 Length: sizes 16.5-19.5
 - Women's:
 - a. Regular Length: even sizes 32 – 46
7. MEASUREMENTS
 - Men's:
 - a. Regular Length: Size 16.5:

- b. Neck 17 (plus or minus 0.5 inches)
- c. 1/2 Chest: 25.25 (plus or minus 0.75 inches)
- f. Back Length: 32.5 (plus or minus 0.5 inches)

Women's:

a. Regular Length: Size 38

- b. Neck 15.5 (plus or minus 0.5 inches)
- c. 1/2 Chest: 22 (plus or minus 0.75 inches)
- d. Back Length: 28.5 (plus or minus 0.5 inches)

SHORT SLEEVE SHIRT

1. COLOR: Dark Navy
2. SHELL FABRIC:
 - a. 9.75-10.25 oz. per linear yard plain weave 80% polyester / 20% rayon with 12% filling stretch.
 - b. Machine washable and dry cleanable rayon blend provides user comfort, uniform appearance, durability, and easy care.
3. TRIM
 - a. Lining: 100% Polyester Satin or 100% Polyester Taffeta
 - b. Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
 - c. Hook and loop: Woven Nylon base
 - d. Buttons: melamine, 20 ligne, matching shell fabric
4. DESIGN AND CONSTRUCTION
 - a. Short sleeve uniform shirt
 - b. 5 military style creases stitched in
 - c. Top fused, convertible sport collar
 - d. Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
 - e. Epaulets
 - f. Badge eyelets with internal support strap
 - g. Extra long shirt tails
5. CUSTOMIZATION (OPTIONAL)
 - a. Emblems
 - b. Name Tab
 - c. Zipper Front
 - d. Metal Buttons on epaulets and pocket flaps
6. STANDARD SIZE RANGE
 - a. Men's: Regular Body: sizes 14.5-19.5
 - b. Women's: Regular Length: even sizes 32 – 46
7. MEASUREMENTS
 - a. Men's: Regular Length: Size 16.5:
 - Neck 17 (plus or minus 0.5 inches)
 - 1/2 Chest: 25.25 (plus or minus 0.75 inches)
 - Back Length: 32.5 (plus or minus 0.5 inches)
 - b. Women's: Regular Length: Size 38
 - Neck 15.5 (plus or minus 0.5 inches)
 - 1/2 Chest: 22 (plus or minus 0.75 inches)
 - Back Length: 28.5 (plus or minus 0.5 inches)

FOUR POCKET TROUSER

1. COLOR: Dark Navy

2. **SHELL FABRIC:**
 - a. 15-15.5 oz per linear yard 2 X 2 right hand twill, 65% polyester / 35% rayon with 5% filling stretch.
 - b. Machine washable and dry cleanable rayon blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

3. **TRIM**
 - a. Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd
 - b. Interlining: polyester non-woven.
 - c. Binding: polyester/cotton bias cut.
 - d. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
 - e. Stretch edge control.
 - f. Fly zipper: nylon coil #5 with auto lock slider.
 - g. Hook and eyes: nickel-plated.
 - h. Buttons: melamine, 22 ligne, matching shell fabric.

4. **DESIGN AND CONSTRUCTION**
 - a. Front quarter pockets and inverted double cord hip pockets with button tabs.
 - b. All pocket secured with bar tacks.
 - c. Stretch waistband with fly tab.
 - d. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
 - e. Double hook and eye closure.
 - f. Quarter linings in front quarters.
 - g. Outlets in waistband (back) and thigh inseam.
 - h. Tandem needle seat seam.
 - i. Seat, inseam, and out seams pressed open.
 - j. 10-12 stitches per inch (all seams).
 - k. Permanent silicone adhesive creases, front and back.

5. **CUSTOMIZATION (OPTIONAL)**
 - a. Windproof breathable liner.
 - b. Striping - 1" Heather Gray cloth stripe.
 - c. Hemming

6. **STANDARD SIZE RANGE**
 - a. Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37
 - b. Women's: Regular Length: even dress sizes 6 – 24

7. **MEASUREMENTS**
 - a. Men's: Regular Length: Waist Size 36:

1/2 Waist:	18	(plus 0.25 inches)
Seat:	24	(plus or minus 0.25 inches)
1/2 Knee:	10.875	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.75	(plus or minus 0.25 inches)
Inseam:	37	(plus or minus 0.50 inches)
Out seam:	46.25	(plus or minus 0.50 inches)
Front Rise:	10.375	(plus or minus 0.25 inches)
Back Rise:	16.875	(plus or minus 0.25 inches)

 - b. Women's: Regular Length: Dress Size 12

1/2 Waist:	15.25	(plus 0.25 inches)
Seat:	22.5	(plus or minus 0.25 inches)
1/2 Knee:	10.375	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.5	(plus or minus 0.25 inches)
Inseam:	35.875	(plus or minus 0.50 inches)
Out seam:	45.875	(plus or minus 0.50 inches)
Front Rise:	11.625	(plus or minus 0.25 inches)

Back Rise: 15.25 (plus or minus 0.25 inches)

SHORT SLEEVE KNIT SHIRT

1. COLOR: Dark Navy
2. SHELL FABRIC:
 - a. 9.0 - 9.5 oz. per linear yard 35% B.COOL Polyester / 65% Cotton double pique knit with 70 denier textured polyester face and 30/1 cotton back.
3. TRIM
 - a. Interlining: 100% polyester weft fusible
 - b. Buttons: 20 ligne melamine (Color: match shell fabric)
 - c. Hook and loop: Woven nylon base (Color: match shell fabric)
4. DESIGN AND CONSTRUCTION
 - a. Short-sleeve uniform shirt
 - b. 5-crease military style with 2-button placket
 - c. Sport collar
 - d. Pleated patch pockets
 - e. Badge eyelets with internal support strap
 - f. Extra long shirt tails
5. CUSTOMIZATION (OPTIONAL)
 - a. Emblems
 - b. Reflective lettering
 - c. Name Tabs
6. STANDARD SIZE RANGE
 - a. Sizes: Unisex XS - 3XL
7. MEASUREMENTS
 - a. Unisex regular length: Size L

Neck	19	(plus or minus 0.5 inches)
1/2 Chest	24.5	(plus or minus 0.75 inches)
Back Length	34.5	(plus or minus 0.5 inches)
Sleeve inseam	7	(plus or minus 0.5 inches)

SIDE POCKET TROUSER

1. COLOR: Dark Navy
2. SHELL FABRIC
 - a. 6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 3XDRY® comfort finish and 10-12% filling stretch that is pre-cured for wrinkle resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)
3. TRIM
 - a. Pocketing: 70/30 polyester/cotton twill, not less than 3.0 oz. sq. yd.
 - b. Interlining: polyester non-woven.
 - c. Binding: polyester/cotton bias cut.
 - d. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
 - e. Stretch edge control.
 - f. Fly zipper: nylon coil, size #5, auto-lock slider.
 - g. Side Pocket Zipper: nylon coil, size #5.
 - h. Hook and eyes: nickel-plated.

i. Buttons: melamine, 22 ligne, matching shell fabric.

4. DESIGN AND CONSTRUCTION

- a. Front quarter pockets; double section-side pockets with hidden cell phone pouch, a 1” Scotchlite strip under each pocket flap, hidden equipment tunnels; and inverted double cord hip pockets with button tabs.
- b. Women Pattern: Front quarter pockets stay-stitched shut for appearance. Can be broken for functionality
- c. All pocket secured with bar tacks.
- d. Stretch waistband with fly tab.
- e. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- f. Double hook and eye closure.
- g. Quarter linings in front quarters.
- h. Outlets in waistband (back) and thigh inseam.
- i. Tandem needle seat seam.
- j. Seat, inseam, and out seams pressed open.
- k. 10-12 stitches per inch (all seams).
- l. Permanent silicone adhesive creases, front and back.

5. CUSTOMIZATION (OPTIONAL)

- a. Windproof-breathable liner.
- b. Removable reflective package.
- c. Removable identification package.
- d. Hemming.

6. STANDARD SIZE RANGE

- a. Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37
- b. Women's: Regular Length: even dress sizes 6 – 24

7. MEASUREMENTS

- a. Men's: Regular Length: Waist Size 36:

1/2 Waist:	18	(plus 0.25 inches)
Seat:	24	(plus or minus 0.25 inches)
1/2 Knee:	10.875	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.75	(plus or minus 0.25 inches)
Inseam:	37	(plus or minus 0.50 inches)
Out seam:	46.25	(plus or minus 0.50 inches)
Front Rise:	10.375	(plus or minus 0.25 inches)
Back Rise:	16.875	(plus or minus 0.25 inches)

- b. Women's: Regular Length: Dress Size 12

1/2 Waist:	15.25	(plus 0.25 inches)
Seat:	22.625	(plus or minus 0.25 inches)
1/2 Knee:	10.125	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.5	(plus or minus 0.25 inches)
Inseam:	35.875	(plus or minus 0.50 inches)
Out seam:	45.875	(plus or minus 0.50 inches)
Front Rise:	10.13	(plus or minus 0.25 inches)
Back Rise:	13.75	(plus or minus 0.25 inches)

REVERSIBLE DUTY JACKET

- 1. Color: Dark Navy
- 2. Seam Tape: Composite seam sealing tape that is compatible to the composite fabric, 7/8" wide.
- 3. Metal Button Rings: Silver.

4. Metal Buttons: Metal "P" buttons on epaulets and pocket flaps.
5. Thread: All thread shall be polyester thread with a wrap with 36 strength in a 50 size or better.
6. DESIGN FEATURES
 - a. FRONT DESIGN: There shall be two pleated patch pockets that measure approximately 5" wide by 6" long. The pockets are to close with scalloped pocket flaps that measure 5-3/8" wide by 3" long at the center and 2-1/4" at the ends. The flaps are to close with snaps set at each corner of the flap. There shall be two welted slash pockets. There shall be a 6" side opening and will be bartacked at the stress points. The pocket lining is to be of the self-material. The pocket flaps shall be interlined. The front zipper shall be a #8 size reversible zipper and shall run from the bottom of the jacket to the top collar; the zipper slider shall be on the right hand side.
 - b. BACK DESIGN: The back shall be a plain full cut back with a separately cut elasticized waistband that extends to the zippered side vents. The waistband shall measure 2-1/2" wide and shall be shirred with 2" wide elastic. The front waistbands shall be plain and that is interlined. The front waistbands shall extend to the zippered side vents.
 - c. COLLAR: The collar shall be a stand up design and shall measure 4" at the points and 4-1/4" at the center. The collar shall be interlined.
 - d. SLEEVES: The sleeves shall be a one-piece sleeve design. There shall be a one-piece cuff design made out of self-material that shall measure 2" wide. There shall be cuff tabs that close with a Velcro hook set at the tapered end that shall attach to the Velcro loop set on the cuff for adjustments. There shall be a sleeve zipper #2 size and 8" long. The zipper shall be approx. 3" from armhole.
 - e. SIDE VENTS: The zippered side vents are to be finished with a coil, #6 size 10" long zipper with a reversible slider. There shall be side tabs made out of the self-material set to the bottom back vent, which will be elasticized with 1" elastic. The side tab shall have a snap (male portion) and shall snap across the bottom vent of the waistband with a snap (female portion) set on the front and back of the zippered side vent. The side tab shall measure 1" by 3" long.
 - f. EPAULETS: There shall be epaulets set on the shoulders and sewn into the shoulder and sleeve seam. The epaulets shall be cross-stitched and shall have a buttonhole. The epaulets are to measure 2-3/8" at the shoulders and 2" at the points. The epaulets are to fasten with a 24 ligne metal button with a button ring through the buttonhole. The epaulets shall be interlined. The epaulets shall be backtacked to the shoulder seam. The epaulet shall have a mic tab sew on top side of the epaulet.
6. LINING SHELL: The jacket is to be reversible with Lime Yellow material. There shall be an ANSI Class III construction set with a 2" wide 3M SCOTCHLITE reflective tape that shall be heat set all around the chest and back, a round the waist and back, and on the upper and lower sleeves. The sleeve stripes shall correspond to the body stripes of the jacket. No over the shoulder stripes. There shall a sleeve tab with a snap that shall attach to the quilt liner cuffs.
7. SEAM SEALING: All external seams and sewing are to be seam sealed with a 7/8" wide seam sealing tape that is set with a hot air seam sealing machine. Seams are to be randomly tested with a sutor tester 3 psi for 3 minutes. A log shall be maintained to record the testing results.
8. FACINGS: There shall be front facings made out of the outer self-material with zippers for the attachment of the removable liner. There shall be a back facing made out of the outer self-material to reinforce a snap that shall attach to the liner.
9. REMOVABLE LINER: The removable thermal liner shall be a zip-out style full body and sleeve liner. The sleeve cuffs are to be held in place with one snap. There are to be black stretch nylon wristlets at the cuffs. The body of the liner is to be held in place with zippers. The liner is to be bound with black nylon binding. There shall be a knit collar set to the liner. There shall be a patch pocket set on left side. The pocket shall measure 6-1/2" wide by 6-1/2" long. There shall be a snap at the neck seam for attachment of the jacket.
10. HANGTAGS: Five year warranty hangtag, and 3M Scotchlite Hangtag.

11. **SILENCE OF SPECIFICATION:** The apparent silence of the specification as to any details or the omission from it of a detail description concerning any point shall be interpreted as meaning that only the best commercial practices are to prevail and that only materials and workmanship of first quality are to be used.
12. **MEASUREMENTS**
 - a. **SIZING:** The manufacturer shall be capable of providing all sizes for men and women, including any special size requirements. The manufacturer shall have a company representative or authorized dealer available to assist with the fittings of the garments at no additional cost.

The following sizes have been established as a guideline for this order.

b. **SIZE CHART**

SIZE	FINISHED CHEST	BACK LENGTH	SLEEVE LENGTH
SMALL (36-38)	48	25	20-1/2
MEDIUM (40-42)	52	25-1/2	20-1/2
LARGE (44-46)	56	26	20-1/2
X-LARGE (48-50)	60	26-1/2	20-1/2
XX-LARGE (52-54)	64	27	20-1/2
XXX-LARGE (56-58)	68	27-1/2	20-1/2
XXXX-LARGE (60-62)	72	28	20-1/2
XXXXX-LARGE (64-66)	76	28	20-1/2
TOLERANCES	+1"	+1/2"	+1/2"
LONG LENGTH SIZES	+1"	+1"	+1"
X-LONG LENGTH SIZES	+1"	+2"	+2"

REVERSIBLE RAINCOAT

1. **COLOR:** Dark Navy/Lime Yellow Interior
2. **SHELL FABRIC:**
 - a. 100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproof ness 3000gm MVP; shall resist oil, discoloration and be odor free. (Color: see specified garment color)
 - b. 100% Nylon Oxford 200Dx200D PU clear coating 2000mm waterproof ness 3000gm MVP; shall resist oil, discoloration and be odor free. (Color: see specified garment color)
3. **TRIM**
 - a. Eyelets: 3L matt. (Color: black)
 - b. Hook and loop: woven nylon base. (Color: black)
 - c. Plastic fastener: 100mm translucent plastic pin.
 - d. Reflective trim: 2 inch wide, 3M Scotchlite™ silver reflective fabric on 2.5 inch wide black ribbon.
 - e. Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.
 - f. Snaps: non rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.
 - g. Front zipper: vislon, two way, 29 inches. (Size L/Reg, Color: black)
4. **DESIGN AND CONSTRUCTION**
 - a. Dry waterproof, windproof, breathable raincoat.
 - b. ANSI/ISEA 107 Class II certified.
 - c. Adjustable cuffs with hook and loop closure.
 - d. Double storm fly front with reversible delrin zipper.
 - e. Hi-contrast Scotchlite™ reflective trim around chest, sleeves and cuffs.
 - f. One-piece collar and sleeves.
 - g. Quick dry taffeta pockets.
 - h. Raglan drop shoulder for unrestricted movement.

- i. Reversible hook and loop sleeve adjustment.
 - j. Reversible to high-visibility color.
 - k. Sport collar zips to top.
 - l. Two 10-inch welt style cut through pockets for access to equipment.
 - m. Badge tabs on both sides.
 - n. Microphone tabs on left front and right front of both dark and hi-vis sides.
5. CUSTOMIZATION (OPTIONAL)
- a. Snap-off hood
 - b. Optional upgrade to ANSI Class III with 2” reflective stripe added above hem
 - c. Stock or custom graphics
 - d. Name tab
6. STANDARD SIZE RANGE
- a. Unisex:

Regular:	XS - 3XL
Tall:	M - 3XL
7. MEASUREMENTS
- a. Unisex: Regular length, Size: Large

Chest:	56	(plus or minus 0.75 Inches)
Sweep:	56.25	(plus or minus 0.75 inches)
Back Length	48	(plus or minus 0.75 inches)
Sleeve Inseam	18.5	(plus or minus 0.5 inches)

UNIFORM CAPS

1. STYLE:
- a. Shall be A Midway Cap Company Deluxe Military Style Cap with Stationary Cover and will be imprinted “5-Star” on the Crown Lining to assure compliance with specifications.
2. DIMENSIONS: The dimensions of a Size 7-1/8 Cap shall be as follows:
- a. Front to rear of crown 10-7/8”; side to side of crown – 10-3/8”;
 - b. Height of Cap in front – 4-3/8”.
 - c. All other sizes shall be in proportion.
3. COVER:
- a. The material shall be #1611 Dark Navy.
 - b. The Covers shall have a dry-cleanable bonding of not less than .093 gauge Grey Polyurethane Foam throughout the entire top, sides and front, and a Full Crown Lining of 100% Acetate Taffeta.
 - c. A Sweat Protector Lining and an Identification Card Holder, in the form of a rectangle, will be heat-sealed directly to the Sweat Protector.
 - d. After joining the crown and the sides, the crown seam shall be double-stitched with a 3/8” bias folded tape.
 - e. As a final operation, all Caps shall be blocked on a 5-piece block in live steam and thoroughly dried.
4. EYELETS:
- a. Each Cap Cover shall be provided with a total of 5 Metal Eyelets: 1 Eyelet shall be attached in the front center 1-1/8” up for proper placement of a 1-post shield.
 - b. Two Eyelets on each side for ventilation.
5. FRAME BAND:
- a. The Frame Band shall be 2” Black Linear high density Polyethylene, approximately .035 thick.
 - b. The Band shall be covered with a 1-3/4” width Black Open Woven Braid Style material.
 - c. This Band shall then be bound at the bottom with the same material as the cover.
6. FRONT SUPPORT:

a. One piece of Stainless Metal, called the Stayer, and a Plastic Holder. The Holder is formed by cutting a piece of black linear Polyethylene with dual slots to accept the Stayer and hold it securely. The holder is sewn to the inside front of the Frame Band and to staples or rivets will be required for either the Holder or the Stayer.

7. GROMMET:

a. A ½” Clear “D” Plastic Grommet, measured and closed to exact size, shall be inserted into the Cap Cover.

8. VISOR:

a. To be made of 2 pieces: the upper portion to consist of a Nylon base with a Black Japanned top; the bottom piece of .095 Genuine Sur-V-Lon with an Embossed Hatters’ Green base. The 2 pieces will be firmly cemented together, and Visors will not bubble, crack or blister

9. FRONT STRAP:

a. The Front Strap shall be 1/2” wide Black.

10. SWEATBAND:

a. Genuine Roan Leather with Gold Line Roll, 1-5/8” wide.
b. Sewn into the caps with a Machine Finish.

11. PACKAGING:

a. Caps shall be packed 12 Caps per 12-B Carton with inserts to allow Caps to nested 6 per side. Carton to measure 24”x 4”x16”.

12. ALL CAPS SHALL CONTAIN A SIZE LABEL, UNION LABEL AND WORKMANSHIP SHALL BE FIRST-CLASS IN ALL RESPECTS.

13. VENDOR INFORMATION:

NAME: _____

ADDRESS: _____

TELEPHONE No.: _____

FAX No.: _____

SIGNED: _____

