



MISSION:
TO EXCEL IN
FIRE PREVENTION,
EDUCATION, AND
INVESTIGATIONS

Oxidizing (includes oxygen)	10	50
Physical or health hazard not indicated above	Any Amount	Any Amount

Dry Cleaning (Section 105.5.13) – an operational permit is required to engage in the business of dry cleaning or to change to a more hazardous cleaning solvent used in existing dry-cleaning equipment. This is specific to dry-cleaning plants, and not drop off locations.

Energy Storage Systems (ESS) (Section 105.5.14) – an operational permit is required for stationary ESS and for mobile ESS deployment operations.

Explosives (Section 105.5.16) – an operational permit is required for the manufacturing, storage, handling, sale or use of any quantity of explosive, explosive materials, fireworks, or pyrotechnic special effects. Permit Fee is \$75.00 per day plus \$60.00 per hour for Fire Marshal Stand By. Storage in Group R-3 occupancies of smokeless propellant (less than 20 pounds), black powder (less than 20 pounds), and small arms primers (less than 10,000) for personal use and not for resale does not require a permit.

Flammable and Combustible Liquids (Section 105.5.18) – an operational permit is required when storing, using, or handling flammable and combustible liquids as identified in Section 105.5.18. Flammable and combustible liquids may be permitted under the Hazardous Materials Operational Permit.

1. To use or operate a pipeline for the transportation within facilities of flammable or combustible liquids.
2. To store, handle, or use flammable or combustible liquids in the following table:

Class of liquid	Use, handle, or storage inside a building	Use, handle, or storage outside a building
I	5 gallons	10 gallons
II	25 gallons	60 gallons
IIIA	25 gallons	60 gallons

Exceptions:

The storage of Class 1 liquids in the fuel tank of a motor vehicle, aircraft, motorboat, mobile power plant or mobile heating plant.

The storage or use of paints, oils, varnishes, or similar flammable mixtures where such liquids are stored for maintenance, painting, or similar purposes for a period not to exceed 30 days.

Fire Marshal's Office
9508 NE Zac Lentz
Parkway

VICTORIA, TX 77904
PHONE (361) 485-3460
FAX (361) 485-3476
www.victoriatx.gov



MISSION:
TO EXCEL IN
FIRE PREVENTION,
EDUCATION, AND
INVESTIGATIONS

Fire Marshal's Office
9508 NE Zac Lentz
Parkway

VICTORIA, TX 77904
PHONE (361) 485-3460
FAX (361) 485-3476
www.victoriatx.gov

3. To store, handle, or use Class IIIB liquids in tanks or portable tanks for fueling motor vehicles at motor fueling dispensing facilities or where connected to fuel-burning equipment.
Exception: Fuel oil and used motor oil used for space heating or water heating
4. To remove Class I or II liquids from an underground storage tank used for fueling motor vehicles by any means other than the approved, stationary on-site pumps normally use for dispensing purposes.
5. To operate tank vehicles, equipment, tanks, plants, terminals, wells, fuel-dispensing stations, refineries, distilleries, and similar facilities where flammable and combustible liquids are produced, processed, transported, stored, dispensed, or used.
6. To place temporarily out of service (for more than 90 days) an underground, protected above-ground, or above-ground flammable or combustible liquid tank.
7. To change the type of contents stored in a flammable or combustible liquid tank to a material that poses a greater hazard than what the tank was designed and constructed.
8. To manufacture, process, blend, or refine flammable or combustible liquids.
9. To engage in the dispensing of liquid fuels into the fuel tanks of motor vehicles at commercial, industrial, governmental, or manufacturing establishments, or to engage in on-demand mobile fueling operation.
10. To utilize a site for the dispensing of liquid fuels from tank vehicles into the fuel tanks of motor vehicles, marine craft, and other special equipment at commercial, industrial, governmental, or manufacturing establishments, or to engage in on-demand mobile fueling operation.

Installation or removal of a storage tank is \$75.00 per tank. Installation of fuel dispensers is \$25.00 per dispenser.

Hazardous Materials (Section 105.5.22) – an operational permit is required to store, transport on site, dispense, use, or handle hazardous materials in excess of the amounts listed in Table 105.5.22.

Type of Material	Amount
Combustible Liquids	See Section 105.5.18